

FENIX LIGHTS - 11/09

Incandescent lights are about 1% efficient and fragile... while LEDs are about 10% efficient and almost indestructible. LEDs allow far brighter lights powered by smaller batteries so they are called "EDC" lights... EDC means "Every Day Carry", so the idea is to create lights that are with you when you need them. "Regulated" LEDs deliver more stable output so the brightness of the lights remains the same while the batteries are able to drive the LED. Regulation also means you can use lower voltage rechargeable batteries and still enjoy the phenomenal performance and the lower cost of use! The output of these lights is truly amazing: our PD20 - a 57 gram light outshines the traditional 5 or 6 cell, even with the LED conversions! Most Fenix's offer "modes" - so 4 different power levels to match your needs, as well as "functions" like "Strobe" to get attention and SOS for when you are SOL.... Google "Flashaholic" and learn. The more you know, the better we look!

"WSL" means "While Stock Lasts" and usually refers to products that have been superceded with a new design. The pricing of WSL's make them a great buy.

Fenix "AAA" series

E01



FLE01/0089

FENIX E01

R169.00

7.1cm (L) x 1.4cm (D); Fenix's new entry level AAA light, is dramatically more efficient with 23 hours fully regulated burn (and a 7 hour die down.) A serious easy to carry illumination tool. Flat panels in body make for clearer laser engraving. Blue, Purple, Orange, Natural and Black colours available. Includes 1 x AAA battery, split ring and O-ring and reversable powerclip (Can be used as headlight clipped to baseball cap)

L0D SE & Q4



FLL0DQ4/00981

FENIX LOD Q4 **WSL**

R329.00

7.3cm (L) x 1.4cm (D); Uses one 1.5 volt AAA regular battery
Lifetime Luxeon LED - 5 output types: 12 Lumens(3hrs)/4.5 Lumens(8hrs)/30 Lumens(1hrs)/ Strobe/SOS
Lifetime Cree Q4 LE - 5 output types: 20 Lumens(2.5hrs) / 7.5 Lumens(8hrs) / 75 Lumens(1hrs) / Strobe / SOS
Includes 1 x AAA battery, a o-ring, a split ring, and a pocket clip

Fenix "AA" series

L1D Q5 CE



FLL1D Q5/00582

FENIX L1D Q5 **WSL**

R449.00

9.7cm (L) x 2.1cm (D); Uses one 1.5 volt AA regular battery and lifetime Cree LED
General Mode: 12 lumens (25hrs)/53 lumens (5hrs)/107 lumens (2hrs)/SOS
Turbo Mode: 120 lumens (1.5hrs)/Strobe
Available in black and natural
Includes 1 xAA battery, wrist lanyard, 2 spare O-rings, spare rubber switch boot and open top nylon belt holster

LD10



FLLD10/00583

FENIX LD10

R679.00

Size: 10 cm (L) x 2.15 cm (D); Uses one 1.5V AA battery (included) & Cree 7090 XR-E LED
General Mode: 9 lumens (34hrs)/47 lumens (6hrs)/94 lumens (2.2hrs)/SOS
Turbo Mode: 120 lumens (1.5hrs)/Strobe
Available in Black
Includes 1 x AA battery, wrist lanyard, 2 spare O-rings, spare rubber switch boot and nylon belt holster with top flap and velcro closure

E20



FLE20/00912

FENIX E20

R439.00

15.3cm (L) x 2.5cm (D); Fenix's new entry-level 2AA light featuring a bright regulated LED delivering 3.3 hours at 109 lumens +die down. Awesome performance at a great price.
Available in Black
Includes 2 x AA batteries, wrist lanyard, spare O-rings and spare rubber switch cover

MC10



FLMC10/00923

FENIX MC10

R559.00

9.9 cm (L) x 2.1cm (D); Uses one 1.5 volt AA regular battery & OSRAM Golden Dragon Plus LED
Lighting Mode: 127 lumens (1.2hrs)/50 lumens (5hrs)/5 lumens (65hrs)
Flashing Mode: SOS / Strobe
Available in black
Includes 1 xAA battery, fastener, diffuser lens, body clip

HP10



FLHP10/00524

FENIX HP10 HEADBAND

R749.00

Light Unit: 5.4 cm (L) x 4.3cm (W) x 3.35 cm (H); Battery Pack: 8.4 cm (L) x 6.3cm (W) x 2.1 cm (H) Uses one 1.5 volt AA regular battery & Cree XR-E LED
Lighting Mode: 225 lumens (2.5hrs)/120 lumens (7.5hrs)/50 lumens (22hrs)/7 lumens (210hrs)
Flashing Mode: SOS (50hrs) / Warning Flash (44hrs) / Strobe (5hrs)
Available in black

LD20



FLLD20/00993

FENIX LD20

R698.00

Size: 150mm (L) x 21.5 mm (D); Uses two 1.5V AA batteries (included) & Cree 7090 XR-E LED
General Mode: 9 lumens (71hrs)/47 lumens (13hrs)/ 94 lumens (5hrs)/ SOS
Turbo Mode: 180 lumens (2hrs)/Strobe
Available in Black
Includes wrist lanyard, nylon belt holster with top flap and velcro closure, 2 spare O-rings and spare rubber switch boot

Fenix "CR123" series

P1D



FLP1D/00132
FLP1DCE/00971

FENIX P1D **WSL**
FENIX P1D CE **WSL**

R399.00
R299.00

7.1cm (L) x 2.1cm (D); Uses one CR123A battery & lifetime Luxeon LED
5 Output Levels: 40 lumens (2.8hrs)/70 lumens (1hrs)/7 lumens (21hrs)/Strobe/SOS
Available in black or natural finish, Includes 1 x CR123A battery, open top nylon belt holster, key-ring clasp and spare O-ring

P3D Q5



FLP3DQ5/00592 **FENIX P3D CE Q5 **WSL****

R529.00

11.4cm (L) x 2.1cm (D); Uses two 3V CR123A batteries & lifetime Cree LED
General Mode: 9 lumens (65hrs)/40 lumens (13hrs)/90 lumens (4.8hrs)/SOS
Turbo Mode: 215 lumens (1.8hrs)/Strobe
Available in black or natural finish
Includes 2 x CR123A batteries, open-top nylon belt holster, wrist lanyard, 2 spare O-rings and spare rubber switch boot

PD20



FLPD20/00993 **FENIX PD20**

R699.00

88mm (L) x 21.5mm (D); Uses one CR123A battery(included) & Cree 7090 XR-E LED
General Mode: 9 lumens (35hrs)/47 lumens (6.5hrs)/94 lumens (2.6hrs)/SOS
Turbo Mode: 180 lumens (1hrs)/Strobe
Available in black finish
Includes 2 x CR123A batteries, open-top nylon belt holster, wrist lanyard, 2 spare O-rings and spare rubber switch boot

PD30



FLPD30/00914 **FENIX PD30**

R739.00

118mm (L) x 21.5mm (D); Uses two CR123A batteries (included) & Cree 7090 XR-E LED
General Mode: 9 lumens (65hrs)/70 lumens (8hrs)/117 lumens (4hrs)/ SOS
Turbo Mode: 220 lumens (1.5hrs)/ Strobe
Available in black finish
Includes 2 x CR123A batteries, open-top nylon belt holster, wrist lanyard, 2 spare O-rings and spare rubber switch boot

Fenix "TACTICAL" series

TK20



FLTK20/00982 **FENIX TK20 TACTICAL**

R499.00

158.8mm (L) x34.1mm (D); Uses two 1.5 volt AA regular batteries & Neutral White (Q2) 7090 XR-E LED; General Mode: 45 Lumens - 8.7 hours; Turbo Mode: 150 Lumens - 1.25 hours; Highly efficient polished reflector - throws beam over 180 meters
Black torch with yellow or grey rubberized grip
Includes 2 x AA batteries holster, pocket clip, two spare o-rings, and a rubber switch cover

TK11



FLTK11R2NC/00994 **FENIX TK11R2 TACTICAL R2 LED**

R899.00

FLTK11R2RC/00947 **FENIX TK11R2 TACTICAL (Rechargeable)**

R1299.00

135mm (L) x34mm (D); Uses two 3V CR123A lithium batteries & Cree R2 7090 XR-E LED. General Mode: Constant 64 Lumens, 12 hours; Turbo Mode: Constant 240 Lumens, 2.7 hours. Highly efficient focused head - throws beam over 200 meters
Available in black finish with Rogers shooting grip ring
Includes 2 x CR123A batteries (and charger for rechargeable version), 2 spare O-rings, spare switch boot, nylon belt holster and wrist lanyard

TK40



FLTK40M/009201 **FENIX TK40 TACTICAL**

R1795.00

208mm (L) x62mm (D); Uses eight 1.5V AA batteries & Cree MC-E LED. Primary Mode: Turbo 630 Lumens, 2 hours; High 277 Lumens, 6.8 hours; Medium 93 Lumens, 20 hours; Low 13 Lumens, 150 hours.
Strobe Mode: Strobe, Slow Flash, SOS, Fast Flash
An awesome spotting light - the brightest AA torch in the world
Available in black finish
Includes 8 x AA batteries, plastic case, wrist lanyard, two spare o-rings, and a rubber switch boot

TA21



FLTA21/00575 **FENIX TA21**

R999.00

200mm (L) x25.4mm (D); Uses three 3V CR123A lithium batteries & Cree Premium Cree XR-E LED (Q5) with lifespan of 50,000 hours; 12 modes of output with mechanical revolving dimmer system (Patent); 12 modes of output with 2 x 3V CR123A batteries: Mode I(4 Lumens, 170Hrs) -> Mode II (18Lumens, 37Hrs) -> Mode III (35Lumens, 18Hrs) -> Mode IV (50Lumens, 12Hrs) -> Mode V (80Lumens, 7Hrs) -> Mode VI(120Lumens, 4Hrs) -> Mode VII (160Lumens, 2.5Hrs) -> Mode VIII (195Lumens, 2Hrs) -> Mode IX (225Lumens, 1.5Hrs) -> Mode X (230Lumens Strobe, 3Hrs) -> Mode XI (18Lumens Flash, 370Hrs) -> Mode XII (SOS, 30Hrs) ->Repeat Cycle; OP textured reflector, throws beam over 200 meters; Constant current circuit - maintains constant brightness; Powered by 2 x 3V CR123A Lithium batteries, or 1 x 3.7V 18650 Li-ion battery; 168mm (Length) x 25.4mm (Diameter) x 39mm (Head); 168-gram weight (excluding batteries); Reverse-polarity protection circuit board; Made of durable aircraft-grade aluminum; Premium Type III hard-anodized anti-abrasive finish; Waterproof to IPX-8 Standard; Toughened ultra-clear glass lens with anti-reflective coating; Tactical tailcap switch with momentary-on function; Anti-roll, slip-resistant body design

TA30



FLTA30M/00945 **FENIX TA30**

R969.00

200mm (L) x25.4mm (D); Uses three 3V CR123A lithium batteries & Cree Premium (Q5) 7090 XR-E LED; 4 Modes: High 225 Lumens, 3.5 hours; Medium 60 Lumens, 25 hours; Low 9 Lumens, 115 hours; Strobe.
Built for and to Military Specs,
Aggressive Bezel wth standard body for mounting
Available in black finish
Includes 2 x CR123A batteries, lanyard, two spare o-rings, and rubber switch boot

PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTIFICATION DUE TO THE FLUCTUATING EXCHANGE RATE

sales@leatherman.co.za • page 15 • www.awesometools.co.za

Fenix Accesories



DIFFUSER

FLD1F/0091

FENIX Diffuser

R35.00

Attaches to most Fenix flashlights to diffuse and soften the light. Made from quality durable, impact and heat resistant PC 2805 plastic. Intuitive design makes for ease of use. Evenly disperses light. Great for lighting up a small area with smooth soft light. Fits the LD & PD, series.



RED FILTER

FLREDF/0093

FENIX Red Filter

R69.00

Attaches to most Fenix flashlights to filter through red light, which works great for emergency and relief signals, penetrating fog and smoke. Toughened ultra-clear glass lens with anti-reflective coating. Made from quality durable, impact and heat resistant PC 2805 plastic.



TRAFFIC WAND

FLTW/0052

FENIX Traffic Wand

R42.00

Tough orange plastic wand - ideal for directing traffic
Easy to attach, easy to remove
21.5mm diameter
Compatible with the following models: LD10/LD20/L1D/L2D/PD20/PD30/P2D/P3D



REMOTE SWITCH

FLRSWITCH/00901

FENIX Remote Switch

R189.00

The Fenix remote switch is specially designed for Tactical lights like the TK11 and TK20, or TA30 . It features a lock on switch as well as the pressure sensitive tape switch . The cable is Max 80cm with a curly cord design that helps to keep excess cord out of the way. Easy control for your light.



BIKE MOUNT

FLBM/0095

FENIX Bike Mount

R129.00

Rotating 360-degree design adjusts to any angle. German Bayer PVC Plastic with anti-aging and anti-solarization components makes the mount very solid and able to withstand extended exposure to direct sunlight and heavy rain. Adjustable grip accommodates different handlebar and flashlight sizes.



HEADBAND

FLHB/00911

FENIX Headband

R209.00

The Fenix headband is specially designed for outdoor sports and converts your flashlight into a headlamp, freeing both hands to make your outdoor exploration, climbing, hiking, cycling and travelling easier and more convenient.



18650 CHARGER

FLCHRG/0099

18650 SMART BATTERY CHARGER

R175.00

This dual format 240V battery charger switches from red indicator (charge) to Green (when charged). Will charge 2 X 123 or 2 X 18650 Lithium ion 3.7V batteries and can save you a fortune in batteries!

FLDC/00901

12V car charger

R 195.00



18650 BATTERY

FLBATT/0058

18650 LITHIUM ION BATTERY

R149.00

This is the economical 2200ma rechargeable replacement battery for quite a few 2X123 Lithium applications. The diameter is 18 mm (VS the 16.5mm 123 diameter) so check sizing first. Output voltage, nominal 3.7V, charged 4.2V. One 18650 is the same length as 2 X 123's.



CR123A

BT123/0052

LITHIUM CR123A BATTERY

R45.00

The 3.2V camera/performance torch battery with amazing power and shelf life.
Not rechargeable!

FL123/0094

FENIX CR123 RECHARGABLE BATTERY

R89.00

Rechargeable battery from fenix